VIII

1950. **File No.** 6250/3

B CLASS. P.W **DEPARTMENT** & **BRANCH**

Subject:— Water Supply
Jamikal Water Supply Sch
for supply of water to
Hubli and Dharw
Estabt for the
Sanitary Project
Sub Dn

(68)

VIII

File No. 6250/36-E

Std. Scott. &Slip 24-B

593—4,00,000 7-50—K2*
[... D No. 2408, dated 22-6-22.]

DOCKET SHEET

Subject:—

File No.

DEPT.

BRANCH.

References:—

Date.	To whom sent.	Notes and instructions.

Office of the P.S. to
H.M.P.W.D.

ubject:- Neersagar water Supply Scheme.

May Hon'ble Minister Dr. Metha repl
e question whether it was true that
idder refused to perform the contract
se of the departmental not issuing
in time.

The editor of 'Janata' a weekly of
ar writes as below:-

"The Congress Govt. after assumption
wer had undertaken many big projects
arnatak.

"Among them Daddi, Asoga irriga-
projects after much money being
s thereon, have stopped at that'. The
th scheme is Neersagar Scheme which has been
ordered
untaken to supply water to two towns
of natak, namely, Dharwar and Hubli. From
th formation received by us we are afra
the scheme might not complete within
a dury. A provision has been made to th
turn of 36 lacs of rupees in the next bu
But the story of tender for constructing the
Dam mysterious. It is learnt that a
Bom Contracting Company had agreed to
the nder of the Government. But as the
Comp y did not receive the order accepti
the nder by Government in time, the com
refused the contract. Let Government repl
whether it was true. If it is true who i
responsible for it? For how many years
more the business of calling tenders and

will go on? During

till the materialisation scheme

all the days the citizens of D i

Hubli have got shed tears on a acute

scarcity of water.

Unless the Govt. treats eme as

the most urgent one and induce sible

and reputed contracting Campan plete the

construction of the dam etc in arnest,

this scheme might not materialise therwise the

lot of the people of Dharwar a will be simi-

lar to that of a thirsty man usive mirage before

him.

Rightly or wrongly, ople of Dharwar

and Hubli towns apprehend e scheme might

not materialise early. The ehension, as far

as I could see, is based observation that

Government as per their pr would not supply

water by 1951. The immedia cumstance on

which their strengthened a nsion is based

is the indifference on the of the Deptt in

calling or accepting a tend or the construc-

tion of the Dam for which, s opined in those

quarters, the provision of 5 lacs is quite

insignificant. They suggest the interest of

early materialisation that work of construc-

ting the dam might be got d departmentaly, if

no tenders comes with in good

time

MB/2513

W. D.

6250/36

for report

Asst 22/3

Secy P.W.D

MC/23-3-50.

The Janata writes:- The Co ess Ministry in the Bombay State has undertaken many big s nes in Karnatak since its advent of power. Out o schemes the Daddi and Asoga irrig tion projects which i isuse of lakhs of rupees of Gover ment funds, have now b up. The third project viz. the Neersagar scheme, which is intended to supply water to Hubli an Dharwar, would according to the report received by us, require many more ages to be completed. Report has it that a certain engineering company of Bombay had accepted Government's tender in respect of this scheme. But that company has now rejected the said tender on the pretext that the necessary order of Governme failed to reach the company in time owing to the negligence of Government officials. If this is true, who is responsible for i We are of the opinion that this scheme will soon see the light of day only if the Bombay Government gives priority to it and entrusts the same to a responsible company.

Janata.
(Kannada Weekly)
6-3-50.
DHARWAR)

Forwarded with compliments to:-

(1) The Collector, Dharwar,
(2) The Secy. to Govt., P.W. Deptt., Bombay,
(3) The Pr. Secy. to H. E. the Governor of Bombay,
(4) The Director of Publicity, Bombay,
(5) The Hon. the Chief Minister & H.Ms.
for information.

for Oriental Translator to Government

SBN

23 MAR 1950

MB
24/3

P. W. D.
File No. ~~S-220~~ 6250/36
Serial No. 23617

625/36/2617.

M. B. P. W.D.

Submitted together with the P.S. to H.M.'s minute dt. the 22.3.50.

2. The main file No. 625/36 re. Neelsagar water supply scheme is under submission to the H.M. P.W.D. & return may be awaited.

mle 8.4.50. X has come back today.

8/4/50

Navayuga,
(Kannada Daily)
11/4/50.
(Hubli, Dist., DHARWAR)

Adverting to the acute scarcity of water at both Dharwar an Hubli, the Navayuga editorially writes:- The fond hope entertain by the people of both Dharwar and Hubli that the 'Hirasagar' Scheme would soon be ushered into being is fading into thin air and the acute scarcity of water is staring them in the face in a intensity. The 'Hirasagar' scheme will not become a reality during the regime of the present Ministry. From the replies give by Government on the floor of the legislature it has become abundantly clear that the completion of the scheme would take at least two or more years. It has become almost a habit with the Bombay Government to plead dearth of materials and expert technicians in matters pertaining to the development of Karnatak during The Hon. Ministers, during their visits to Karnatak assure t people that they will redress all their grievances and it is strange that these assurances fade into thin air in the wake of their departure from Karnatak. During his recent visit to Hubli, the Hon. C.M. of Mysore Shri K.C. Reddi gave out that his Govern ment is even ready to offer men and material to the Bombay Gover ment in their plan of supplying electricity to Karnatak, from Jo We are at a loss to know what prevents the Bombay Government fro accepting this helping hand. We call upon the Bombay Cabinet to pay a visit to Dharwar and Hubli immediately and see with their own eyes the unbearable hardships and agony which the people of both these places are undergoing. The sight of a large number of men, women and children with empty pitchers in their hands, quarre ing amongst themselves for a pitcher of water near a public wat tap will convince our Cabinet of the truth of our statement. We are constrained to say that the policy pursued by the Bombay Gove Government in regard to these two towns is improper and unjust. We are fed up with empty assurances. Let the Government declare the period within which it hopes to provide water to both these towns and also move briskly in the matter of completing the 'Hirasagar' project immediately.

Forwarded with compliments to:-
(1) The Collector, Dharwar.
(2) The Secy. to Govt., L.S.G.& P.H.Deptt., Bomba
(3) The Secy. to Govt., P.W.Deptt.
(4) The Pr. Secy. to H. E. the Go
(5) The Director
(6) The Hon. the

mB
1914
S. F. D.
File No. ~~S 220~~
6250/36
Serial No. 305.01
DMR

D.O.No. 224 . of 1950.
Office of the Executive Engineer
Karnatak Public Health Works Dn.
Dharwar. 15th April 1950.

Dear Sir,

Your D.O. dated the 13th instant.

I shall take Shri.Bhambani of Messrs.Larsen & Toubro Ltd. round the site of the Neersagar Dam and show him the types of soils likely to be met with, when he visits Dharwar sometime after the 20th of this month as desired by you.

Yours Sincerely

Shri.N.P.Gurjar, B.E.;I.S.E.;J.P.
Chief Engineer to Govt.,
Public Works Department
B O M B A Y.

17/4/50

6.258/36
Serial No. 30791

(17) originals in U.B. (I) file no 2004/36
29517

Office of the P.S. to H.M., P.W.D

H.M., P.W.D. met the Karnatak M.L.As on Saturday the 8th of April as per the latter's desire.

2. Mr. Hukkerikar apprised the H.M. about the general discontent prevailing among the Karnatak public and requested the H.M. to show more speed in accomplishing certain projects. He referred mainly to jog electric power and Neersagar water supply to Dharwar and Hubli Towns.

3 H.M., P.W.D. explained at length as to how the delay was caused. Every time the delay, he said, can not be attributed to Department. So many factors are beyond the control of the Department. Taking into consideration those factors and circumstances the progress made was not slow, he said.

4. The members were satisfied to know that matters with regard to jog electricity power and neersagar water supply were progressing well, recently.

5. The members wanted to know the following points about Jog Power :-

1) Whether survey with regard to laying down the main lines has been made or not.

2) Whether wooden poles instead of iron poles would serve the purpose. It was learnt in that connection that wooden poles were used in Mysore.

3) Whether low tensioned lines could not have been laid earlier over a short distance from Harihar to Haveri and Gadag in the first instance. If this was done, it was pointed out by the M.L.As, that Karnatak public would not have felt so much dissatisfied.

The information about the above points may please be collectdd.

(II) 6. About the Neersagar Water Supply Scheme H.M. told the M.L.As. that the Department has decided to do the work of constructing the dam etc. departmentally and no more delay hereafter would be caused on account of again calling tenders

(III).7. Mr. Shastri from Kanara district raised the question of Herur Bridge over Aghnashini river in Siddapur Taluka. He complained that inspite of clamouring for early construction of the bridge, nothing happened. H.M., P.W.D. wants to know the position.

8. Mr. Shastri then requested the H.M. to strengthen the Gersappa-Mavingundi Road. No improvement was made by a small provision made last year. In the days of cart traffic, he ~~xxxdx~~ said, the road was important, but unfortunately it is now lying in the most neglected condition.

9. H.M. told, as a matter of general policy he would not agree to spending large amounts on roads and buildings at this stage, unless for urgent considerations. H.M. wants to know the position of the road.

10. Mr. Shastri made a general suggestion to the effect that in every district a body of experts to supervise and suggest ways and means be appointed. The creation of this sort of organisation, he said, would bring about more coordination from the public, would check misuse of funds and expedite progress.

H.M. appreciated the idea but doubted its practicability.

11. A suggestion was made by Mr. M.H. Shah that a cement slab over an otherwise weak culvert, unfit for heavy traffic, can sustain a weight upto fifty tons or more and the road thus can be made trafficable for heavy loads.

12. Mr. Shastri and others raised an objection to the policy of pulling down building lying within the margin of 80 ft. on either sides of the road. It is one thing to prevent new construction and another to demolish the existing constructions. H.M. said that wherever old buildings come to be demolished with the 80' limit, it would not be proper to allow the buildings to be reconstructed within that line.

13. With regards to minor irrigation works all the Karnatak M.L.As. expressed dissatisfaction about the condition of local contribution. They suggested levying of cess after cultivation of such lands as are covered by irrigation. H.M. said that in v

as the getting of Tagai loans, contribution by way of labour, etc., it may not be so difficult.

14. Mr. Dalwai from Belgaum wanted to know whether repairs to Kohalli or Hirehalli tank which is estimated to cost about 10 lacs and which is supposed to be big enough to irrigate an area of five thousand acres of land, could be made out of these funds received from Union Government. H.M. was afraid that any work costing more than fifty thousand rupees or a lakh of rupees might not come under the scheme. The case of the above tank may be inquired with specific reference to the above remarks.

15. The Belgaum members wanted to know the exact position of Gokak electricity supply scheme, when that place would get electricity ?

The necessary information on the above questions may please be collected and supplied.

Sd/- R.M. Prabhu
12-4-
P.S. to H.M., P.W.D.

For very early remarks re: the various references to the Parl-Secy. R.M. Prabhu's note above re: the talk I had with Hon'ble Members from Karnatak.

Sd/- J.N.M(ehta).
12-4-1950
H.M.,P.W.D.

as the etc. of "area for use, contribution by way of labour, etc.", it may not be so difficult.

Mr. Dalpat from Jal gaon wanted to know whether repairs to Chalisgaon or Jirebhalli bank which is getting old to cost about 10 lacs and which is supposed to be big enough to irrigate an area of five thousand acres of land, could be made out of funds received from Union Government. . . . was agreed that any work costing more than fifty thousand rupees or a lakh of rupees might not come under the scheme. In case of the above bank may be inquired with a polite reference to the above matter.

The Collector was asked to know the exact position of each electricity supply scheme, when that place would get electricity.

The necessary information on the above enquiries may please be collected and

[illegible]

[illegible]

For very early reply re: the various references to the Pari-Goan. Irrigation to tone re: the talk I had with Jaitpale Brothers from Chandwa.

[illegible]

[illegible]

coming given to M.B. for minute
& action if any with reference to para
6 of the note.

19/4/50

19

No.S.W.3.27/Tender/4424 of '50

Poona 1, 20th April 1950

To

The Chief Engineer to Government,
Public Works Department, Bombay

Subject :- Neersagar Water Works.
Tender for earthen dam and allied works.

Please refer correspondence on the above subject resting with my No.S.W.3.27/tender/3323, dated the 28th March 1950, and pass early orders of Government in the matter.

2. I discussed this question with yuu and you infofmed me that the work will have to be now carried out departmentally but these orders are yet awaited. If early orders are passed the Executive Engineer, Karnatak Public Health Works Division, Dharwar will be able to move in the matter quickly and he may utilise the remaining time of the working season for the purpose.

D.A.Nil.
SLP/20-4-50.

Public Health Engineer
to Government.

Copy f.w.cs. to the Executive Engineer, Karnatak Public Health Works Division, Dharwar for information. He should await the final orders of Government on the above subject.

MB
2414 Rajkot

P. W. D.
P. No 6250/36.

Serial No. 32179

MB
22-4,

Adverting to the acute scarcity of water both at Dharwar and at Hubli, the Lokamitra writes:- The acute scarcity of water at Dharwar and Hubli has now reached grave proportions, with the result that people at these places have been subjected to inhuman hardships. It is a matter for extreme regret that Government should in utter disregard of this fact be proceeding at a snail's speed with the 'Nirasagar scheme'. Government seems to have undertaken this scheme not with a view to providing water to Dharwar and Hubli, but with a view to filling the pockets of the Maharashtrian officers in charge of this scheme. As for these officers, they care more for their pay than for the work in hand. In the circumstances, we urge Government to direct the officers to complete the project within a specified time. We also urge the Dharwar Municipal authorities to repair all the wells in Dharwar and thereby make water available to the citizen

Lokamitra.
(Kannada Weekly)
24/4/50.
(DHARWAR)

Forwarded with compliments to:-

(1) The Collector, Dharwar,

(2) The Secy. to Govt., L.S.G. & P.H. Deptt., Bombay,

(3) The Secy. to Govt., P.W. Deptt., Bombay,

(4) The Pr. Secy. to H. E. the Governor of Bombay,

(5) The Director of Publicity, Bombay,

(6) The Hon. the Chief Minister & H.Ms.
for information.

2-5-1950 for Oriental Translator to Government.

SBN/



6250/36
35678

P. W. D.

M.B.

Submitted together with the newspapers cuttings at pp. 1-2, 5-9 ante, the P.H.E.'s D.O. No.2447, dated 15-4-50, copy of the H.M., P.W.D.'s note dated the 12-4-50 and the P.H.E.'s letter No.S.W. 3.27/Tender/4429, dated the 20-4-50, and with ref. to the P.S. to H.M., P.W.D.'s minute dated the 22-3-50.

2. In the issues of 'Janata', dated the 16-3-50 and 18-3-50, a weekly of Dharwar, the editor writes that it is learnt that the contractor whose tender for the works in con. with the Neersagar Water Supply Scheme was accepted by Govt., refused to proceed with the contract on account of delay on the part of Govt. He desires to know who is responsible for this delay. He further states that the people of Dharwar and Hubli towns apprehend that the scheme might not materialise early and hence requests Govt. that the work of constructing the dam might be got done departmentally if no tenderer comes forth in good time.

3. Newspapers cuttings 1) from 'Navayuga', dated the 11-4-50 and 2) from 'Lokamitra' Kannad Weekly, dated the 24-4-50: It is requested therein that Govt. should declare the period within which the Neersagar Water Supply Scheme is expected to be completed and also should proceed with the scheme expeditiously.

4. It will be seen from all the newspaper cuttings that the people of Dharwar and Hubli are very much harassed for want of water and hence earnestly desire that the Neersagar W.S. Scheme catering their needs of water supply should be completed with the least possible delay. Attention in this con. is invited to the proceeding recorded on pp. 2-3 ante of

file No.6250/36-pt.VII put up below and the G.L. No.6250/36-M, dated the 19-4-50, in which the orders have been issued to the P.H.E.to Govt. to carry out the Dam work departmentally. The execution of this big scheme costing Rs.1.4 crores, in these days of controls will normally take three years for completion since its commencement. The cost of the proposed earthen dam and its allied works was estimated at Rs.34.43 lakhs net according to the 1938-39 rates of the Dharwar Dn. increased by 100%. The present rates of labour and material ~~are,~~ have however, soared very high and some additional cost will have to be incurred by Govt. during execution. In view of the above, no further action appears to be necy. on these cuttings.

o p.271 of file No.6250/36 slp N

5. As regards the point raised at 'A' on p. 23 ante, attention is invited to 'f' of the Under Secy's note on p. 261 ~~ante.~~ of file No.6250/36 Pt VII. The contractor, viz. Messrs. Precision Construction Co. had not stipulated the time limit for acceptance of their tender. Moreover, as the amount of the tender was appreciably in excess over the estimated cost of the scheme, the F.D. was required to be consulted in the matter before the final orders were issued. This involved some time. Judging from these points, the period of about three months required for the procedure of accepting the tender was not much and was quite reasonable. In view of this the ~~execute~~ excuse in enforcing the contract put forth by the Contractor and reproduced by the editor of 'Janata' appears to be without ground and requires no further consideration.

□ slp P

6. P.H.E.'s D.O.No.2247, dated the 15-4-50: No action appears to be necy. on this. p.11

7. P.H.E.'s letter No.S.W.3.27/Tender/4429, dated the 20-4-50 and para. 6 of the H.M., P.W.D.'s note p.19 p.13 dated the 12-4-50:- Necessary action has been taken - vide G.L.No.6250/36-M, dated the 19-4-50 and no further action is therefore called for on these references....

25

references.

8. These papers may, if approved, now be recorded.

Thro. DR(D), EIBE(D) & DEPTH.

GJP. 10/5/50

9. As regards the portion 'B' at p.3 ante, t Ghataprabha Valley Project (previously called tl Daddi Project) is included in the current 5-yea programme and is being investigated in regard tc its storage sites. In advance of the main project, the Ghataprabha L.B.Canal Scheme, which forms part of it, is being carried out expeditiously. Some preliminary investigation has been done in con. with the Asoga Project, which is included in the 15-year plan and not in the current 5-year programme. The project will therefore be taken up for detailed investigation in due course, when its turn comes up.

11-5-50

-Sl.Br(I).

10. The point ref to at 'K' on p 9 ante has already been noted upon separately in file no 2004/36 which is under submission to the H.M.P.W.D. since 28.4.50. A copy of the O.N. recorded on that file is put up below for information.

16/5/50 16-5-50

16/5/50

16/5/50 on this Dept

There can be no blame for the delay in the execution of the Narayan water supply. The original tenderers had quoted very high rates & had to be

rejected. Tenders were called a second time but as the rates were high, the sanction of FD had to be obtained & there was no avoidable delay. Finally when a tender was accepted, the Contractors refused to sign the tender & backed out of it. Then fresh orders to start work departmentally. A necessary list of machines required on the work is being drawn up & as soon as these are available, the work would be carried out in much less time than what would have been possible ~~through~~ Contractors working with manual labour.

Yours
28/5/50

The levity with which certain newspapers and persons treat major schemes costing lakhs is surprising. No capitalist, who is free from audit and account rules, would invest lakhs of his own money in a venture (other men speculation) without prolonged enquiry, consultation and deliberation. Official agencies dealing with tax payers' money have to be much more careful; and time of a few months taken

over decision of tenders and of a year or two. Later over finalisation of large schemes cannot be considered as too long. Delays must of course be avoided and is not intended to condone in planning and forethought are in possible methods of expediting official matters, but not evasion of rules or "haste"

What is stated above applies in certain respects to the objections raised against the 'Jog' Elec. scheme

AJ
18/5

P.S. THOMPSON

AJ
24/5

I only wish that the materials obtained with the Newsagar scheme may take place early.

FSM
23/5

Sub: Neersagar Water Supply Scheme:
Construction of - by departmental
agency: Additional Staff for---

The strenghh of the existing Neersagar Head Works Sub-Division for dam and allied works and waste weir will have to be augmented, since the execution of work of such a magnitude departmentally entails, close supervision and directions by responsible Officers and technical staff and heavy work for the office staff as a result of voluminous payments, bills of labour purchase of materials and keeping various accounts therefor.

2. Had the work been executed through the agency of one or two major contracts, as was expected, they would have necessarily had to maintain mechanical staff for doing items such as are done by the earth-moving machinery of the type of screepers, showels, Bulldozers, graders and rollers etc.etc. Since the work is to be now done departmentally this establishment will have to be maintained by the Department, to promote speedy and economical execution of work. The department will have to conduct the work operations with the aid of two separate units viz.(1) Mechanical & (2) Civil, for which the creation of an additional Mechanical Sub-Dn., is imperative, the existing Neersagar Head Works Sub-Division having to do the civil side, that is, the execution of the dam and allied works with the waste weir.

3. A chart showing the proposed distribution of work and staff between the two Sub-Divisions on site of work is appended and the salient features of the line of activities of each of them are detailed below.

4. Mechanical and Material Sub-Division:- This Sub-Division will execute the mechanical side of the work such as working of the earth-moving machinery by its staff under the supervision of the civil Sub-Dn., maintain all the machinery and run the workshop for proper maintenance thereof, do unwatering, concrete mixing, mortar grinding and maintain the fast moving transport etc. In addition it will deal with collection of different materials such as lime, surki, bricks, stones khandkies, headers etc. required for the constructions involved. Maintenance of log accounts of different machines and of materials collected will have to be also done by this Sub-Dn. It will thus be a full fledged Sub-Dn. both for execution and acquisition of stores and designated as "Mechanical & Materials Sub-Dn, Dhumwad".

5. Neersagar Head Works Sub-Division:- The existing Sub-Divn. viz. Neersagar Head Works Sub-Divn. will deal with the civil side of the work such as recording of work done by labour, contracts or piece works or any other agency, and payments of such items done. Any materials required by this Sub-Divn. will be collected from the Mechanical & Materials Sub-Divn. and accounts of their use maintained.

..2.

6. The details of staff for the proposed Mechanical and Materials Sub-Divn. and additional staff for Divisional office on account of the additional Sub-Divn. are given below.

Mechanical & Materials Sub-Divn.

Mechanical & Workshop Section

	Scale of pay.
1. Deputy Engineer Mechanical.	220-15-400-E.B.20-500-E.B.-25-650.
2. Mechanical Overseers	80-5-100-8-140-E.B.10-220-E.B.10-270.
1. Civil Overseer.	80-5-100-8-140-E.B.10-220-E.B.10-270.
2 Mechanics.	60-4-100-4-120.
4 Fitters.	55-3-85-4-105.
1 Time Keeper.	No prescribed scale and hence 46-3-85-4-105 proposed.
1 Superintendent of Stores in the scale of-- Divisional Head Clerk	No prescribed scale for mofussil and hence 140-10-190 proposed.
1 Store Keeper	70-5-100-8-140-10-150.
2 Peons.	30-1/2-35.

Office Establishment

1 Senior Sub-Divisional Clerk.	92-8-140.
3 Junior Clerks.	46-3-85-4-105.
2 Peons.	30-1/2-35.
1 Chowkidar.	30-1/2-35.

Divisional Office.

1 Personal Assistant in B.S.E. Class II.	220-15-400-E.B.20-500-E.B.-25-650.
1 Senior Clerk	92-8-140.
1 Junior Clerk.	46-3-85-4-105.

7. The necessity of each category of the staff is explained below in brief.

(a) Deputy Engineer (Mechanical).
(b) Two Mechanical Overseers.

These posts will be essential for directing the highly specialised earth moving and other constructional machinery such as mortar mills, concrete mixers, stone crushers, trailors, tractors, rollers and fast moving transport equipment, their proper maintenance and running of the workshop.

(c) One Civil Overseer: The services of three civil Overseers would be required as shown in the appended chart for the manufacture or the collection of various materials. Two Overseers from the sanctioned strength of six Overseers of the existing Neersagar Head Works Sub-Divn. will be diverted to this Sub-Divn. Thus only one additional Overseer for the Mechanical Sub-Divn. becomes necessary.

..3.

(d) 2 Mechanics & 4 fitters: The services of these will be required for work in the workshop and repairs to the machines while in operation on site.

(e) One Time Keeper: The services will be necessary to keep accounts of hours of work of each of the machinery for purposes of log accounts as well as to watch the attendance of the mechanical staff on regular establishment.

(f) Superintendent of Stores & One Store Keeper: Their services will be required for watching receipts and issues of materials and custody thereof and maintenance of accounts of workshop spares, tools etc. and consumable materials such as fuels, oils by the machinery section. Unlike in maintenance of Divn.the value of materials to be collected and issued would be enormous and hence the responsible post of Superintendent is proposed.

(g) Two Peons: The services of two peons will be necessary to attend to the needs of the sectional office of stores and workshop.

(h) Office establishment for the Sub-Divn.consisting of One Senior Clerk, three Junior Clerks, 2 Peons and 1 Chowkidar: The accounts of the Sub-Divn. will be mainly maintenance of log accounts of various machineries, trucks and payment for supplies or manufacture of materials. The office establishment as in the case of a regular Sub-Divisional Office is necessary as it will be a full fledged Sub-Divisional Office.

8. Additional Staff for Divisional Office:

(a) Personal Assistant in B.S.E.Class II:-The Executive Engineer will have very little time at his disposal during the day for attending to the office work, as unlike in maintenance Division with a few major original works, the outdoor work of the maintenance and that of other Sub-Divn. will absorb almost all his time outside office. The assistance of a Personal Assistant will be necessary to manage the routine office work efficiently.

(b) Two Clerks - One Senior and One Junior: To cope with the increase of work due to audit and scrutiny of the accounts of the Mechanical and Materials Sub-Divisional Office, One Senior Clerk will be required for Accounts Section of Divisional Office. The Junior Clerk will be required for correspondence section of the Divisional Office due to increase in work of correspondence and typing.

(c) In a contract work, though the expenditure as regards the resultant turn out may be the same as that of departmental work, the number of payments and bills to be attended to by the department in case of former being usually few, sometimes one or two bills a month against one contract and the maintenance and compilation of accounts is therefore comparatively simple and the work is not voluminous while in departmental execution, numerous bills and muster rolls of labour etc. will have to be paid every week, thus resulting in the volume of accounts work, which may not be within the capacity of one Divisional Accountant.

..4.

The sanction of a post of one additional Divisional Accountant appears to be necessary a proposal for which however will be submitted at a later stage if the conditions of work may so demand.

9. The additional cost on account of the proposed additional staff would be approximately Rs.35,500/- annually. The work at market rates as evidenced by the recent tenders of M/S Precision Construction Company, who probably due to the present uncertain conditions have backed out, is approximately Rs.50,00,000/- for a period of 4 years. The ratio of the proposed extra establishment cost to the works expenditure would therefore be 2.84 per cent, which is quite reasonable compared to the speed and economy that will be achieved if the proposed additional establishment is sanctioned.

10. Medical arrangements for labour camp on work site: More than 400 to 600 persons will be employed on the work at one time and one site for a period of more than two years continuously on the presumption that the requisite earth moving machinery will be made available. The responsibility for arrangements for medical relief for the labour camps essentially devolves therefore on the Department under the provision of para 256, 257 & 258 of P.W.D. Manual Volume I, since the work is being done departmentally. The requirement of Sub-Assistant Surgeon will have to be met with from Subordinate Medical Service as well as his assistants provided for as laid down in para 100 ibid. The Surgeon General with the Govt. of Bombay may be requested to sanction a medical unit at work site, as required by para 101 ibid and as tentatively proposed on the chart appended herewith.

Sd/- Executive Engineer
Karnatak Public Health Wks.Dn.

'TRUE COPY'

Head Clerk to the
Public Health Engineer
to the Government

GB:13 May.

Cost of additional establishment required in connection with the execution of the Neersagar Water Supply Scheme by departmental or piece work agency.

Mechanical & Materials Sub-Division		Pay and D.A. for 12 months.			
		Pay		Dearness Allowance	
		Rate. Rs.	Amount. Rs.	Rate. Rs.	Amount Rs.
(Mechanical Section)					
1.	Deputy Engineer.	220/-	2640/-	60/-	720/-
2	Mechanical Overseers	180/-	4320/-	55/-	1320/-
4	Fitters	55/-	2640/-	45/-	1080/-
1	Time Keeper or Karkun	46/-	552/-	35/-	420/-
1	Superintendent of Stores	140/-	1680/-	50/-	600/-
1	Store Keeper.	70/-	840/-	45/-	540/-
2	Peons for mechanical staff	30/-	720/-	70/-	790/-
	(Office Section)				
1	Civil Overseer	180/-	2160/-	55/-	660/-
1	senior Sub-Divisional Clerk	92/-	1104/-	45/-	540/-
3	Junior Clerks.	55/-	1980/-	45/-	1620/-
2	Peons	30/-	720/-	70/-	790/-
1	Chowkidar.	30/-	360/-	35/-	420/-
			19716/-		9500
(Divisional Office)					
1	Personal Assistant & Deputy Engineer.	220/-	2640/-	60/-	720/-
1	Senior Clerk.	92/-	1104/-	45/-	540/-
1	Junior Clerk.	55/-	660/-	45/-	540/-
	Total annual extra expenditure.		24110/-		11300/-
			Rs.35,410/-		
			Say Rs.35,500/-		

Sd/- Executive Engineer
Karnatak Public Health Works Dn.

'TRUE COPY'

Head Clerk to the
Public Health Engineer
to the Government.

GB:13th May.

37

No.S.W.3.37/ 5322 of 1950.

Poona 1, Dated: 13/14 May 1950.

To:-
The Secretary to Government,
Public Works Department, Bombay.

Sub: Neersagar Water Supply Scheme.

Ref: Government letter No.6250/36-M, dated the 19th April 1950.

2. Para 2 of Government letter noted.

3. Para 3 of Government letter - I have requested Shri G.G.Dhanak, Executive Engineer, Gangapur Storage Dn., Nasik to visit Dharwar sometime between 18th and 20th May 1950, during which period, I have arranged for the inspection of the office of the Executive Engineer, Karnatak Public Health Works Division, Dharwar and shall be there myself.

4. With reference to para 4 of the Government letter I may state that I intend to send the following two Deputy Engineers for undergoing training in respect of the use of machinery etc:-

(1) Shri S. T. Khare, and
(2) Shri V. S. Nadkarni.

This may be approved.

But arrangement is not considered to be adequate if work is to be executed Departmentally. It will be quite necessary to open a Mechanical Sub-Division under the Executive Engineer, Karnatak Public Health Works Dn., and also the establishment sanctioned for the Divisional office will have to be supplemented to cope up with the work. A copy of the note drawn up by the Executive Engineer, Karnatak Public Health Works Dn., Dharwar, Reg: Additional staff required by him is enclosed herewith for the consideration of Government. I fully agree with the proposals submitted by the Executive Engineer as it will be quite in the interest of work to equip him with full compliment of staff if the work of such a magnitude is to be done departmentally. On receipt of Government sanction to the proposals contained in the note the Deputy Engineer who will be placed in charge of the Mechanical Sub-Division will also be sent to Gangapur Storage Division for training.

5. Para 5 of Government letter noted.

6. The tenders and comparative statements have been duly received.

D.A.: 1 Note with sketch.

Public Health Engineer to Government.

Copy forwarded with compliments to the Executive Engineer, Karnatak Public Health Works Dn., Dharwar for information with reference to his No.A.31.(b)/A/2385, dated 22.4.1950.

GB:13th May.

MB 2/5

Accompt

Rec'd 20-5-50

I. ... D.
File No 6250/36
Serial No. 40500

MB

20-5-50

Smith.

M.B. P.W.D.

Submitted with ref. to the G.L. No. 6250/36 N dt. the 19-4-50.

2. The P.H.E. to Govt. has noted the instructions given in para: 2 of the letter refd. to above.

3. He has requested Shri. Dhand to visit Dharwar, when he will also accompany him. Further report from the P.H.E. in this respect may perhaps be awaited.

Thro. EB(II)D, EB(I) & EB(II)

E.B. (III)

4. As regards the P.H.E's proposals for the creation of a Mechanical Subdn. and additl. staff for the Dnl. office, referred to in para 4 of his letter within, that officer may be requested to submit separately the necy. self-contained proposals.

9/6/50

E B (I)

Please see para. 4 of G.L. No. 6250/36

6250/36.14, dated the 19.4.50 and the C.E's note underlying it. The P.H.E. has proposed to depute Shri S.T. Khare and Shri V.S. Nadkarni, Dy. Engrs., for undergoing training. It is for orders whether the P.H.E's proposal may be accepted.

9-6-50

The deputation of the two DE's may be agreed

S.G.P.

13/6/50

The work is to be carried out not through precautions but strictly by the [redacted] the staff requirements will have to be based on the model of Sangapur Div., which the K.P.H Div has visited. In the meantime the two Deputy Engrs may be sent to learn the [redacted] at Sangapur

15/6/50

T.

Returned to D.E. (P.H) as desired.

2616

Shown to the Under Sec and returned file

29-6-50

30-6-50

6250/36/40500

P. W. D.

E-B-(III).

Resubmitted with reference t
the orders within, with the nec
draft for apprd., which may issu
after w.o.r. to the F.D.

Thro' EB. (I)

Short Sale 30/6/52

Short Sale 1/7 C x Cancl 1-7-50.

Inward P. W. D. No. 4/7/50 No. 31723

K 1/7/50

W.O.R. to the F.D. dated 3-7-50.

x with P.W.D. file No. 6250/36-VII and loose 3 copies and one plan.

1/7/50.

Finance Deptt.-P.W.D.

The P.W.D. proposal viz. to depute two Dy Engineers for undergoing training at the Gangapur Storage Dn. may be agreed to.

EB I 7/7

P. W. D. File No. 6250/36 Serial No. 55060

EB I 7-7-50

5/7 w.o.r. to P.W.D. dtd 6.7.1950

x

6250/36
5560.

E.B (I)

P.W.D.

The draft at pp. 4-6 : post

Sad
8.7.50.

may now issue.

Thro' E.B (II).

8.7.50

8/7/50

CKL

6250/36/40500
~~65050~~
55060

Ltr Letter.

No. 62:50/36-E(I)/~~(III)~~. P.W.D.,

B.C. (B'bay No.1), 14 July 1950

To

The P.H.E. to egout.

Sub: Neersagar Water Supply Scheme
Creation of a Mechanical Sub-Dn.

Ref: Para. 4 of your letter No. S.W.3.37/5322, p39 dt the 13-5-50.

2. The works in connection with Neersagar Water Supply Scheme are to be carried out not through piece workers but directly by the machines. The staff requirements will, therefore, have to be based on the model of the Storage Gangapur/ Dn., which the Exe. Engr., Karnatak Public Health Works Dn., has visited. You are, therefore, requested to submit seperately

The...

The necy. proposals for the creation of a Mechanical Subdn. and for addnl. staff that may be necy. for the Dnl. office.

2. In the meantime, your proposal to send the following Dy. Engrs. to the Gangapur Storage Dn. for undergoing training (~~of~~ about three months) is approved:—

(i) Shri S.T. Khare, and

(ii) Shri V.S. Nadkarni

B.O; etc; D.A. Nil.

Asstt. Secy. to the G. of B., P.W.D.

Copy forwarded to —

The F.D.,
the C.E., P.W.D.,
The Asstt. Engr., Bombay (thro' the C.E.),
The Exe. Engr. Karnatak
P.W. Works Dn.

for information.

MDN
3/6

Letter.

No. 6250/36-E(I).

Public Works Department,
Bombay Castle (Bombay No.1),
10th July 1950.

To

The Public Health Engineer to Government.

Subject:- Meersagar Water Supply Scheme: Creation of a Mechanical Sub-Division.

Reference:- Paragraph 4 of your letter No.S.W.3.37/5322 dated the 13th May 1950.

2. The works in connection with Meersagar Water Supply Scheme are to be carried out not through piece workers but directly by the machines. The staff requirements will, therefore, have to be based on the model of the Gangapur Storage Division, which the Executive Engineer, Karnatak Public Health Works Division, has visited. You are, therefore, requested to submit separately the necessary proposals for the creation of a Mechnical Sub-Division and for additional staff that may be necessary for the Divisional office.

In the meantime, your proposal to send the following Deputy Engineers to the Gangapur Storage Division for undergoing training (about three months), is approved:-

(i) Shri B. T. Khare, and
(ii) Shri V. S. Nadkarni.

By order of the Governor of Bombay,

10/7/50

Assistant Secretary to the Government of Bombay, Public Works Department.

U.A.- Nil.



Copy forwarded to -

the Finance Department,
the Chief Engineer, Public Works Department,
the Accountant General, Bombay (through the Finance Department),
the Executive Engineer, Karnatak Public Health Works Division,

for information.

EXPRESS.

No. S.W.3.27/5267 of 1950.

Poona 1, 12th July 1950.

To

The Secretary to Government,
Public Works Department, Bombay.

Subject :- Neersagar Water Supply Scheme. P 39

Reference - This office No. S.W.3.27/5322, dated the 13th May 1950 and Government letter, Public Works Department No.6250/36-E(I) dated the 10th July 1950, according approval to Shri. S.T.Khare and Shri. V.S.Nadkarni being deputed for training. In addition, it is also quite necessary that one Mechanical Engineer should be sent for training and studying and working, maintenance and repairs to all machineries, equipment and I suggest that Shri.P.L.Zope, B.E.(Mech. & Elec.) Temporary Deputy Engineer, who is at present holding charge of Boring Works Sub-Division, Dapuri may also be permitted to undergo training at Gangapur. After training Shri. P.L.Zope can conveniently be appointed as a Plant Engineer on his present salary and will be placed incharge of proposed Mechanical Sub-Division as soon as that sub-division is sanctioned, Early orders of Government are requested.

D.A.Nil.
SLP/12-7-50.

Public Health Engineer
to Government.

Copy with a copy of Government letter, under reference forwarded with compliments to the Executive Engineer, Karnatak Public Health Works Division, Dharwar for information with reference to his No.G-7(a)-A/3556 dated the 21st June 1950.

Enclosure.

Poona 4, 15th July 1950.

The Secretary to Government,
Public Works Department, Bombay.

Subject :- Peripheral water supply scheme.

Reference - this office no. 4/W/3.27/5522, dated the 15th May 1950 and Government letter, Public Works Department No.6250/36-A(1) dated the 3 10th July 1950, according approval to Smt. S.I.Hate pad - Mut. W.I.Assistant being deputed for training. In addition, it is also quite necessary that Mechanical Engineer should be sent for training and studying and working, maintenance and repairs to all machineries, equipment and I suggest that Shri.S.L.Zope, B.E.(Mech. & Elec.) Temporary Deputy Engineer, who is at present holding charge of Poona Water Sup-division, Deputy may also be permitted to undergo training at Bombay. After training Shri. ...Zope can conveniently be appointed as a Plant Engineer on his present salary and will be placed incharge of proposed Mechanical Sub-division as soon as that sub-division is sanctioned. Early orders of Government are requested.

Executive Engineer,
Public Health Engineer
to Government.

Mut/15-7-50

Copy with a copy of Government letter, under reference forwarded with compliment to the Executive Engineer, Kirkee Public Health Works Division, Answer for information with reference to his No.4-7/1-A/5556 dated the 21st June 1950.

No.A.1.33.D/ 7893 of 1950.

Poona 1, 17th July 1950.

To

The Secretary to Government,
Public Works Department, Bombay.

Subject :-Appointment.
L.D.College of Engineering, Ahmedabad
Lecturer in Civil Engineering at the ---

Reference - Government Resolution, Education Department No.7834, dated the 7th July 1950.

2. As Shri.V.S.Nadkarni, has been appointed as Lecturer in Civil Engineering in the L.D.College of Engineering, Ahmedabad, I am arranging to relieve him as early as possible. It will not,therefore, be possible to send him to Nasik for training as directed in Government letter, Public Works Department No. 6250/36-E(I) dated the 10th July 1950. Instead Shri.P.L.Zope, B.E.(Mech. & Elec.) Temporary Deputy Engineer will be sent, as proposed in this office No.S.W.3.27/7767 dated the 12th July 1950.

D.A.Nil.
SLP/17-7-50.

Public Health Engineer
to Government.

EBI
1917

625.36
~~625.766~~

57989

6250/36

57989

E.B. (I) P.W.D.

p. 47

Please see h.l. No. 6250/36 E. (I), dated the 10-7-50 and the notes underlying it.

2. The P.H.E's proposal to send Shri S.T. Khare and Shri V.S. Nadkarni to the Ganapur Storage Dn. for undergoing training for a period of about three months was approved. Shri Nadkarni has now been appointed as a Lecturer at the L.D. Engineering College, Ahad. The P.H.E. therefore proposes to send Shri P.L. Zope, Temp. Dy. Engr., to the Ganapur Storage Dn. for undergoing training.

3. Please see P.H.E's letter at p. 49 ante. It is for consideration whether the P.H.E's proposal may be approved.

22-7-50.

P.H.E's proposal may be allowed

24/7/50

24.7.50

24/7

625-0/36

57989

P. W. D.

F.B. (F)

Resubmitted with a draft.

for appl.

25-7-50.

6250/36

S 7989

Letter.

No. 6250/36-E(I).

P.W.D.
B.C. Bombay No. 1
26th July 1950

To

The P.H.E. to Govt.

Sub.— Neeraagar Water Supply Scheme: Creation of Mechanical Sub-D.

Refee: correspondence ending with your letter No. A.1.33.D/2893, dated the 17-7-50 p.51

2. your proposal to depute Shri P.L. Zope, temply. Dy. Engr., to the Ganga Storage Dn. in place of Shri V.S. Nadkarni for undergoing training (about 3 months) is approved.

D.A. Nil.

By order of
Dy. Secy. to the G. of B., P.W.D.

Copy to the A.G., Bombay for information with refee. to G.E. No. 6250/36-E(I) dated the 10-7-50. p.47

Issued
27-7-50.

25-7-50

Shri Sagade
Now that Nadkarni does not want to go on deputation to E.D., will not these orders lapse ?
PRO.
27/7/50.

VK. 28/7
Vikas 3
26/7

Share Office
29/7/50

URGENT

No.A-1-33-D/8132 of 1950,

Poona 1, 21/8/ July 1950.

To

The Secretary to Government,
Public Works Department,
Bombay 1.

Sub:- NEERSAGAR WATER SUPPLY SCHEME.
CREATION OF A MECHANICAL SUB-DIVISION.

Folio 91 of file No. 1342/48 File No. 6972/36(2) will be put up shortly.

Reference: Government letter No. 1342/48-E(I), dated the 14th July 1950 and this office letter No. A-1-33-D/7893, dated the 17th July 1950.

2. As Government, under Public Works Department letter No. 1342/48-E(I), dated the 14th July 1950, have proposed to send Shri S.T.Khare, B.E.,M.E.(P.H.), to the United Kingdom, it will not, therefore, be desirable to send him for training to the Gangapur Storage Division, as proposed in Government letter, Public Works Department No. 6250/36-E(I), dated the 10th July 1950. Instead, I propose to send Shri V.D.Kulkarni, B.E., permanent Deputy Engineer, now-in-charge of Thana Sanitary Sub-Division,Kalyan, and am issuing orders separately directing Shri P.L.Zope, (vide this office No. A-1-33-D/7893 of 17th July 1950) and Shri V.D.Kulkarni, to the Executive Engineer, Gangapur Storage Division, Nasik, for training in the use of machinery etc. This action may please be approved.

D.A. Nil.
DWK/20-7-50.

Public Health Engineer
to Government.

Copy forwarded with compliments, for information, to the Executive Engineer,

1. Central Public Health Works Division, Poona.
2. Eastern Public Health Works Division, Nasik.
3. Karnatak Public Health Works Division, Dharwar.

Sino-
Am
D. P. Wi 625.0/36
Fin No. 13442/48
Serial No. 60126
E18
Z483

6250/36
60126.

59

E&B (I) P.W.D.

p.47

In G.L. No. 6250/36-E (I), dated the 10-7-50, the P.H.E's proposal to depute Shri S.T. Khare and Shri V.S. Nadkarni, temp. Dy. Engrs., to the Gangapur Storage Dn. for undergoing training was approved. As, however, Shri Nadkarni has been deputed to the E.O. for appt. as Lecturer in the L.D. Eng. College, Abad., Shri P.L. Zope, temp. Dy. Engr., has been sent to the Gangapur Storage Dn. for training in place of Shri Nadkarni, vide G.L. No. 6250/36-E (I), dated the 26-7-50. p.55

2. Please see G.L. No. 1342/48-E (I) dated the 14-7-50 in which it has been proposed to send Shri S.T. Khare to the United Kingdom for training in P.H. Eng. The P.H.E's proposal p.57 to send Shri V.D. Kulkarni, Dy. Engr., to the Gangapur Storage Dn., for training in place of Shri Khare may be appd.

Xslip 'A' in file No. 1342/48

3. The draft pp. 61-62 put up may issue if approved.

4-8-50.

DS

ACE

CE

7-8-50.

Letter. 61 6250/36
60126

No. 6250/36-E (I).

P.W.D.
Br. (Bombay No. 1),
10 Aug. 1950.

To

The P. H. E. to Govt.

Sub:— Neersagar Water Supply Scheme: Creation of a Medl. Sub. Dn. 57

Refer: your letter No. A-1-33-D/8132, dated the 21-7-50.

2. Your proposal to depute Shri V. D. Kulkarni, Dy. Engr., to the Gangapur Storage Dn., in place of Shri S. T. Khare, Temp. Dy. Engr., for undergoing training (about three months) is approved.

By order, etc.

D.A- Nil.

Dy. Secy. to the G. of B., P.W.D.

Copy-

copy forwarded to the A.G., Bombay,
for information with refce. to G.E. No. P 47
6250/36-E (I), dated the 10-2-50

Asst
4-8-50.

Pl. ~~work~~ mark work
2 spare copies.
10/8/50

ISSUED
n.12.8.50

EXPRESS No.S.W.3.27/ 9020 of 1950.

Poona:dated: 11th :August: 1950.

To

The Executive Engineer,
Gangapur Storage Divn.Nasik.

Subject: Neersagar Water Supply Scheme
Creation of a Mechanical Sub Divn.

Reference: Government letter P.W.D. No. 6250/36-E(I) of 10-7-50(copy enclosed)

As directed by Government, I have deputed two Deputy Engineers to Your Division, viz. Shri P.L.Zope, B.E.(Mech.Elec.) and Shri V.D.Kulkarni B.E.(Civil) instead of Shri S.T.Khare, and V.S. Nadkarni for training in the use of Machinery and other matters pertaining thereto. I shall, therefore, be grateful if you will extend all facilities to them for the study of construction, maintenance and the use of machinery for a period of three months so as to enable them to handle the machinery properly and to make the best use of the same. I shall be thankful if you will report on their training after the period is completed.

D.A. 1 copy of letter.
GMK/ 10-8-50.

Public Health Engineer to Government.

Copy forwarded with compliments to the Secretary to Government, P.W.D.Bombay with reference to correspondence resting with this office endorsement No.A.1.33.D/8826,dated the 7th August 1950.

Copy forwarded with compliments to :-

1. The Superintending Engineer,D.I.C.for information.
D.A. One.
2. The Executive Engineer,Karnatak Public Health Wks.Divn. Dharwar for information

6250/36
66478

E.B. (I)

P.W.D.

The P.H.E's proposal to send Shri P.L. Zope and Shri V.D. Kulkarni temp. Dy. Engrs., to the Ganga pur Storage Dn. for training, instead of Shri S.T. Khare and V.S. Nadkarni, temp. Dy. Engrs., has been approved, vide this No. 6250/36-E (I), dt. the 26-7-50 and 10-8-50.

2. The report on training of Shri Zope and Kulkarni may be awaited.

Asst.
18.8.50.

DS

mw 18/8

Attached
18/8/50.

EBI
14/8

P. W. D.
6250/36
66478
E B I
IL

+ 65

D.O.No. 7099 of 1950.

Office of the Executive Engineer,
Karnatak Public Health Works Dn.,
Dharwar, 23rd November 1950.

Dear Shri Jogleker.

Shri P.L.Zope, B.Sc., B.E.(Mech.& Elec.) was deputed to Gangapur for training on the earthmoving machinery maintenance, repairs and machinery planning etc. On his return from training he was to be posted at Dharwar (Dhumwad) for the Neersagar Scheme.

Shri Zope has now been relieved from Gangapur after training and I am awaiting his posting orders.

Quotations for Earthmoving machinery are understood to have been received by the Director General of Industries & Supplies, New Delhi, during the last month and I imagine that the machinery may be at site sometime by January-February 1951.

It is essential that installations of construction water supply, domestic water supply, crushers and a workshop etc. etc. at site are kept ready in good time enabling the Department to start the embankment work in right earnest after receipt of earthmoving machinery.

The Public Health Engineer to Government, Poona, has approached Government to sanction the creation of a Mechanical & Stores Sub-Division vide his letter No.KSD-33/12037 dated 19-10-1950 and also approached Government to atleast initially approve posting of Shri Zope to this Division, vide his letter No. KSD-33/12383 dated 29-10-1950 in case the creation of the Sub-Division was likely to take sometime.

3082/48 E (II)
8941
C.O
21-11-50

P.T.O.

Since Shri Zope's assistance to me at this stage is very necessary, I would request you please to look into the case and do the needful early.

Yours Sincerely
G. Zope

Shri K.V.Joglekar,
B.E., B.S.E.(I),
Deputy Secretary to Government,
P.W.D., Bombay.

What is the position ?
Pl let me know
Kp 27/11/50

E-B(II)

They have been referred to F.D. on Tue. 21/11/50 EBI 8/12 E-II
Arvind
Kp 27/11

P. W. No. 6250/36
File No. 3082/48
Serial No. 9652

EBI

E-B(I)
7/XII/50

AB(III) 17/11

F.D. & Chi Sag 7/12/50

Ind 27/11
F.D. 21/11

67

6250/36
9625)

E.G. (I)

P.W.D.

Resubmitted

2 the P.H.E. to Govt. has already proposed separately for the creation of a Mechl. and Stores Sub-D. and to post Shri [illegible] Dy. Engr., to the Karnalax P.H.W.Dn. The papers on the subject (file No. 3082/48-194596) have been rtd. vide to the F.D. on the 21-11-50. The F.D. is being expedited separately for early return of the papers.

Await

Then E.G. (II).

Sad 8-12-50

Ans 8/12/50.

Dr

KJB/12

Shri Sad 22/2/51

Await 9/12/50

6250/36
96257

68

EG (I)

F.W.D.

Resubmitted with reference to the
P67
O.N. dated the 8-12-50.

2. Necessary orders re: opening of
a new Medl. and Stores sub-Dn. at
Dhanbad have already been issued
in G.R. No. 3082/48 dated the 23-2-51.
No further action is necessary on these papers
which may now be recorded.

[illegible]
16-3-51

[illegible]
16/3/51

file
16/3/51

[illegible]